
BC 390 12/24V



PURCHASE CODES

BC 390 12/24V without thermo switch	3RBC39012 3RBC39024
BC 390 12/24V with thermo switch	3RBC39012T247 3RBC39024T247 3RBC39012T260 3RBC39024T260

SPARE PARTS

Cooling element	1RO03381
Frame	3CNBC390.1
Electric fan 12V	1MCVA18AP70AC
Electric fan 24V	1VNAPL58024C
Thermo-switch 47-36 12V IP 67	1TRM 47-36/12V
Thermo-switch 47-36 24V IP 67	1TRM 47-36/24V
Thermo-switch 60-49 12V IP 67	1TRM 60-49/12V
Thermo-switch 60-49 24V IP 67	1TRM 60-49/24V

PERFOMANCE DIAGRAM


kr [kW/°C]	
0,520	
0,500	
0,480	
0,460	
0,440	
0,420	
0.400	
0,380	
0,360	
0	50 100 150 200 250 300 l/min

PRESSURE DROP DIAGRAM


Bar	
1,80	
1,60	
1,40	
1,20	
1,00	
0,80	
0,60	
0,40	
0,20	
0	50 100 150 200 250 300 l/min

CORRECTION FACTOR

cSt	22	30	46	68	100	150	220
f	0,6	1	1,5	2,3	3,5	5	7



- Dimensions and technical characteristics are not binding



OIL FLOW	VOLTAGE	POWER	CURRENT	AIR FLOW	ELECTRIC PROTECTION	NOISE LEVEL	WEIGHT	ø FAN
l/min	V	W	A	m³/h	IP	dB(A)	kg	mm
20-250	12	210	17	2.500	68	82	16	310
20-250	24	210	8,5	2.500	68	82	16	310

COSTANTE SESINO SPA: via Monza, 150 A/B 20060 GESSATE (MI)
info@sesino.com - www.sesino.com | tel. +39 02.95.38.03.34 - fax +39 02.95.78.05.28

BC 390/2 12/24V




PURCHASE CODES

BC 390/2 12/24V without thermo switch	3RBC390/212 3RBC390/224
BC 390/2 12/24V with thermo switch	3RBC390/212T247 3RBC390/224T247 3RBC390/212T260 3RBC390/224T260


SPARE PARTS

Cooling element	1RO03383
Frame	3CNBC390/2.1
Electric fan 12V	1MCVA18AP70AC
Electric fan 24V	1VNAPL58024C
Thermo-switch 47-36 12V IP 67	1TRM 47-36/12V
Thermo-switch 47-36 24V IP 67	1TRM 47-36/24V
Thermo-switch 60-49 12V IP 67	1TRM 60-49/12V
Thermo-switch 60-49 24V IP 67	1TRM 60-49/24V






CORRECTION FACTOR							
cSt	22	30	46	68	100	150	220
f	0,6	1	1,5	2,3	3,5	5	7



- Dimensions and technical characteristics are not binding



OIL FLOW	VOLTAGE	POWER	CURRENT	AIR FLOW	ELECTRIC PROTECTION	NOISE LEVEL	WEIGHT	ø FAN
l/min	V	W	A	m³/h	IP	dB(A)	kg	mm
30-250	12	240	20	2.800	68	85	25	380
30-250	24	240	10	2.800	68	85	25	380

sesino

COSTANTE SESINO SPA: via Monza, 150 A/B 20060 GESSATE (MI)
info@sesino.com - www.sesino.com | tel. +39 02.95.38.03.34 - fax +39 02.95.78.05.28

BC 390 AC





PURCHASE CODES

BC 390 single phase without thermo switch	3RBC390
BC 390 single phase with thermo switch	3RBC390T247 3RBC390T260
BC 390 three phase without thermo switch	3RBC39038
BC 390 three phase with thermo switch	3RBC39038T247 3RBC39038T260


SPARE PARTS

Cooling element	1RO03381
Frame	3CNBC390M/T.1
Electric fan for BC 250 single phase	1VNA4E350
Electric fan for BC 250 three phase	1VNELCO43038DV1
Thermo-switch 47-36 IP 65	1TRM 47-36
Thermo-switch 60-49 IP 65	1TRM 60-49






CORRECTION FACTOR							
cSt	22	30	46	68	100	150	220
f	0,6	1	1,5	2,3	3,5	5	7




- Dimensions and technical characteristics are not binding



OIL FLOW	VOLTAGE	FREQUENCY	POWER	CURRENT	AIR FLOW	PROTECTION	NOISE LEVEL	WEIGHT	ø FAN
l/min	V	hz	W	A	m³/h	IP	dB(A)	kg	mm
30-250	Δ 230 Y 400	50	100/170	0,62/0,30	2.750	55	73	22	350
30-250	Δ 265 Y 460	60	100/180	0,50/0,29	2.750	55	73	22	350

COSTANTE SESINO SPA: via Monza, 150 A/B 20060 GESSATE (MI)
info@sesino.com - www.sesino.com | tel. +39 02.95.38.03.34 - fax +39 02.95.78.05.28

BC 390/2 AC




PURCHASE CODES

BC 390/2 single phase without thermo switch	3RBC390/2
BC 390/2 single phase with thermo switch	3RBC390/2T247 3RBC390/2T260
BC 390/2 three phase without thermo switch	3RBC390/238
BC 390/2 three phase with thermo switch	3RBC390/238T247 3RBC390/238T260


SPARE PARTS

Cooling element	1RO03383
Frame	3CNBC390/2M/T.1
Electric fan for BC 250 single phase	1VNEASS400
Electric fan for BC 250 three phase	1VNELCO43238DV2
Thermo-switch 47-36 IP 65	1TRM 47-36
Thermo-switch 60-49 IP 65	1TRM 60-49






CORRECTION FACTOR							
cSt	22	30	46	68	100	150	220
f	0,6	1	1,5	2,3	3,5	5	7



- Dimensions and technical characteristics are not binding



OIL FLOW	VOLTAGE	FREQUENCY	POWER	CURRENT	AIR FLOW	PROTECTION	NOISE LEVEL	WEIGHT	ø FAN
l/min	V	hz	W	A	m³/h	IP	dB(A)	kg	mm
30-250	Δ 230 Y 400	50	110/180	0,57/0,33	2.750	55	72	31	400
30-250	Δ 265 Y 460	60	145/260	0,68/0,39	3.300	55	73	31	400

sesino

COSTANTE SESINO SPA: via Monza, 150 A/B 20060 GESSATE (MI)
info@sesino.com - www.sesino.com | tel. +39 02.95.38.03.34 - fax +39 02.95.78.05.28